



PORTE

Interior Designer doors

PORTA FILOPARETE - WALL EDGE DOOR





PORTA FILOPARETE

WALL EDGE DOOR

DIMENSIONI DI SERIE: cm 60-70-80-90 x 210




PRODUCTION DIMENSIONS: cm 60-70-80-90 x 210

Stipite in alluminio trattato (predisposto per la verniciatura con idropitture, smalti, ecc.) da murare senza falso stipite, con zanche. Nella versione in cartongesso: regolatori a scorrimento, per correggere eventuali imperfezioni in larghezza. Ogni stipite è corredato di 2 angolari e 2 traversi (a perdere) avvitati per la perfetta messa in opera. Sul perimetro dello stipite, sui due lati, rete fissata sullo stipite per evitare screpolature; **Guarnizione coestrusa**, inserita nello stipite; **Anta di serie grezza, spessore mm 45 circa**, tamburata con nido d'api, 2 facciate in MDF di spessore mm 4 per facciata. Intelaiatura in legno massiccio s fibrato con battuta su 3 lati. Possibilità, a richiesta, a richiesta, anta con mano di cementite, o vernici poliuretaniche testurizzate opache nei colori di serie o essenze in legno; **1 serratura** cromo lucido, bloccaggio a scrocco con chiave o con nottolino (specificare sempre nell'ordine se serratura con chiave o nottolino); **3 cerniere invisibili, brevettate e regolabili in altezza, in larghezza ed in profondità.**

Treated aluminium doorpost (ready for being coated with water paints, enamels, etc.) to be embedded in the wall without false doorpost, with clamps. In the plasterboard version: sliding regulators to correct any imperfections in width. Every doorpost comes with 2 angle bars and 2 crosspieces (disposable) screwed on to get a perfect installation. Mesh secured on the doorpost so as to prevent cracks along the perimeter of the doorpost on the two sides; **co-extruded strip** inserted in the doorpost; **off-the-shelf unfinished wing with approx. 45-mm thickness**, double-panelled with cellular fabric, 2 faces in MDF with a thickness of 4 mm per face. Frame in ground massive wood with ledge on 3 sides. Upon request, possibility of having a wing with a coat of cementite or matte texturised polyurethane paints in the production colours or cores of wood; **1 shiny chrome lock**, spring latch lock with key or with revolving plug (always specify if the lock is with key or revolving plug on the order); **3 patented invisible hinges adjustable in height, width and depth.**




APPLICAZIONE MURARE - WALL APPLICATION

L	L1	H	H1
60	65	210	212.5
70	75	210	212.5
80	85	210	212.5
90	95	210	212.5



APPLICAZIONE CARTONGESSO - PLASTERBOARD APPLICATION

L	L1	L2	H	H1	H2
60	65	71.5	210	212.5	216
70	75	81.5	210	212.5	216
80	85	91.5	210	212.5	216
90	95	101.5	210	212.5	216



PORTA FILOPARETE - WALL EDGE DOOR





E.P. Srl 24050 GRASSOBBIO (BG) ITALY

UFFICI E STABILIMENTO: VIALE MATTEOTTI, 63 TEL. ++39.035.52.53.65 FAX: ++39.035.52.60.99

www.ep-porte.it info@ep-porte.it